



Marks associated with TUV SUD BABT Certification Schemes

TUV SUD BABT is a certification body of



Contents

1.	Introduction	Error! Bookmark not defined.
2.	Definitions	4
3.	Overview of Schemes and associated marks.	4
4.	Accreditation Marks	5
4.1	General	5
4.2	UKAS	7
5.	Regulatory and Certification Marks	7
5.1	BABT Approved Mark	7
5.2	BABT Safety Certification Mark	8
5.3	CE Mark	8
5.4	Marine Equipment Directive Marking.....	8
5.4.1	Marine Equipment Directive Wheelmark	8
5.4.2	US Coast Guard Marking for certain marine Products	9
5.5	FCC Marks.....	9
5.6	Industry Canada Marks	9
6.	Marks associated with the ISO9000 Scheme.....	10
6.1	TUV SUD BABT ISO9001 Octagon Mark on its own	10
6.2	TUV SUD BABT ISO9001 Octagon Mark with UKAS mark	10
7.	Marks associated with the PQC Scheme	10
7.1	TUV SUD BABT PQC Mark.....	10
8.	Marks associated with the R&TTE	10
8.1	Mark for Telecommunications products and radio products using harmonised frequencies	11
8.2	Mark for Radio products using non-harmonised frequencies.....	11
9.	Marks associated with the RED.....	11
9.1	Mark for equipment under Annex III(Type Examination).....	11
9.2	Mark for equipment under Annex IV (FQA).....	11
10.	Mark associated with the Construction Products Regulation	11
11.	Marks associated with the LVD and EMC Directives	12
12.	Mark associated with the Measurement Instruments Directive	12
13.	Marks associated with the Safety Certification Schemes.....	12
13.1	Marks available for Entire products and stand-alone power supplies	12
13.1.1	BABT Approved Mark.....	12
13.1.2	BABT Approved Mark with UKAS accreditation mark	13
13.1.3	TUV SUD BABT Safety Mark	13
13.2	Marks available for Sub-assemblies and Components	13
13.2.1	TUV SUD BABT Safety Certification Mark	13
	TUV SUD BABT Safety Certification Mark with UKAS accreditation mark	13
14.	Marks associated with the CNC Scheme	13
14.1	BABT Approved Mark	13
14.2	BABT Approved Mark with UKAS Accreditation Mark.....	14
15.	Japanese Radio Approval Mark	14
15.1	Overall Mark	14
15.2	Approval Mark.....	14
15.3	Symbol.....	15
15.4	Approval Identifier.....	15
15.5	Additional information and examples.....	15
16.	Metering and Billing Marks	15



16.1	Metering and Billing Scheme	15
16.1.1	TUV SUD BABT Mark	15
16.1.2	TUV SUD BABT Mark with UKAS Accreditation Mark	16
16.2	Communication System Attestation.....	16
17.	Microgeneration Certification Scheme (MCS) Mark	16
18.	British Retail Consortium (BRC) Scheme Mark.....	16

1. Introduction

This document defines the marks associated with various TUV SUD BABT Certification schemes with details of dimensioning and formats. This document should be read in conjunction with the TUV SUD BABT Certification regulations which includes the general rules on their use. While some schemes have specific designs of marks related to the scheme sponsor or purpose in general those schemes where TUV SUD BABT grants a mark then either a TUV SUD Octagon Mark is granted or a BABT Approved Mark.

2. Definitions

Accreditation Mark	means the appropriate mark of the relevant accreditation body. This must be shown with our accreditation number and complete with the holder's certificate number
Certification Mark	means the relevant mark appropriate to the certification scheme issued in accordance with the certification regulations.

3. Overview of Schemes and associated marks.

The following TUV SUD BABT Certification schemes have the following marks associated:

Scheme	Regulatory Mark	Accreditation Mark	TUV SUD BABT Mark	Comment
ISO9000	N/a	UKAS Management System	Octagon	
PQC	N/a	None	Octagon	Includes CPR and Machinery PQC Certs
R&TTE Annex III	CE	UKAS Product	N/a	
R&TTE Annex IV	CE	UKAS Product	N/a	
R&TTE Annex V	CE	UKAS Product	N/a	
RED Annex III	CE	UKAS Product	N/a	
RED Annex IV	CE	UKAS Product	N/a	
Marine Equipment Directive Module B	No EU Mark	None	N/a	Requires a Mod D/F Certificate for Marking; Some products may have US Coast guard Number as approval mark
Marine Equipment Directive Module D	Wheelmark	None	N/a	
Marine Equipment Directive Module F	Wheelmark	None	N/a	
Marine Equipment Directive Module G	Wheelmark	None	N/a	
EMC Notified Body	CE	UKAS Product	N/a	
Measuring Instrument Directive Mod B		No Mark	N/a	Requires a Mod D/F Certificate for Marking;
Measuring Instrument Directive Mod D	CE	UKAS Product		
Measuring Instrument Directive Mod F	CE	UKAS Product		
LVD Notified Body	CE	None	N/a	
Construction Products Regulation	CE	UKAS Product	N/a	
Metering and Billing Approval	none	UKAS Product	Double Octagon	Contact TUV SUD BABT for information
Communications System Attestation	N/a	None	Double Octagon	Contact TUV SUD BABT for information

Scheme	Regulatory Mark	Accreditation Mark	TUV SUD BABT Mark	Comment
Safety Certification	N/a	UKAS Product	Approved or Tick	
CNC	N/a	UKAS	Approved	
Japanese Radio Device Approval	Japan Radio mark	UKAS Product	N/a	
US Radio/EMC TCB Certification	FCC id	UKAS Product	N/a	
US Telephony TCB Certification	ACTA number	None	N/a	
US EMC TCF Audit	None	None	N/a	Marking <u>must not</u> look like FCC Id.
MCS Scheme	n/a	UKAS Product	MCS own	
BRC	n/a	None	BRC own	

Images of the most common marks may be requested from the TUV SUD BABT web site: <http://www.BABT.com> .
 Note: Copies of these marks are only supplied to Applicants for or Certificate holders of the relevant schemes.

4. Accreditation Marks

4.1 General

Wherever practicable TUV SUD BABT obtains accreditation from an appropriate accreditation body for our certification schemes. Currently TUV SUD BABT holds accreditation from UKAS for a number of the schemes. Additionally UKAS assess TUV SUD BABT on-behalf of the UK government for all the regulatory appointments held by TUV SUD BABT .

Use of any mark associated with TUV SUD BABT Schemes is subject to the following conditions additional to those specified in the TUV SUD BABT Certification regulations:



1. The Holder may only use an Accreditation Mark subject to their holding a TUV SUD BABT Certificate that itself includes such marking to indicate that certification scheme is accredited.
2. Certification or Accreditation Marks shall not be used in any way that might give the wrong impression about the status of the accredited organization.
3. Holders of certificates issued by TUV SUD BABT may use the appropriate mark, on stationery and publicity material or other items relevant to their certificate. The accreditation mark is only permitted to be used in conjunction with the appropriate TUV SUD BABT mark.
4. The term 'publicity material' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on goods or products, unless the goods or products are Certified Equipment or have been manufactured under an accredited product conformity scheme. This restriction also applies to primary packaging and promotional products.
5. Holders of accredited certificates may use the appropriate TUV SUD BABT mark without the accreditation mark if they wish.
6. The Holder of accredited Certified System Certificates may use the Certification and Accreditation Marks on stationery, display notices, price lists, trade literature and press advertisements provided that such use of these marks alone does not imply that product or products have been approved or certified by BABT.
7. The Holder of accredited Product Certificates may only use the Certification and Accreditation Marks on stationery, display notices, price lists, trade literature and press advertisements provided that such use of these marks clearly indicates that it applies to the Certified Equipment.
8. Certification and Accreditation marks shall only be used in the form and dimensions as defined in this document.
9. Accreditation Marks shall not be displayed on vehicles, except in publicity material containing an accreditation mark as part of a larger advertisement, provided the Mark is used in the publicity material in accordance with the conditions in specified in this clause.



10. Accreditation Marks shall not be displayed on buildings and flags. Marks may be displayed on internal walls and doors and on exhibition stands.
11. Holders may use a TUV SUD BABT Mark associated with a Certified System Certificate on vehicles, buildings and flags as long as it is not used in conjunction with the Accreditation Mark except as permitted in this clause.
12. A Holder shall at all times satisfy TUV SUD BABT that the Accreditation and TUV SUD BABT Marks have been properly used.
13. On withdrawal or surrender of a Certificate or upon the determination against the Holder of an appeal regarding such withdrawal, all material upon which the TUV SUD BABT and Accreditation Marks appears shall either have the marks obliterated or be disposed of to TUV SUD BABT 's satisfaction.

4.2 UKAS

TUV SUD BABT has obtained UKAS accreditation for a number of schemes. The following rules are extracted from the UKAS document: “Use of National Accreditation Marks” which is obtainable from <http://www.ukas.com> under Technical Publications as URN BIS 14/902

UKAS Product Mark for TUV SUD BABT	UKAS Management Systems Mark for TUV SUD BABT
 <p style="text-align: center;">0172</p>	 <p style="text-align: center;">0172</p>

The marks shall be displayed only in the appropriate form, size and colour detailed in these regulations. When the mark is printed on an unfolded portion of A4 size stationery, it shall be displayed in a size no larger than 30mm high. On larger portions of unfolded stationery the size may be proportionately increased. Accreditation marks shall normally have a minimum height (excluding the certificate number) of 20mm. Any enlargement or reduction shall retain the same proportions as the masters. The UKAS Accreditation number for TUV SUD BABT (“172”) shall be printed centrally under the accreditation mark.


The accreditation mark and the certificate number shall be considered as a single entity for purposes of enlargement or reduction. In exceptional circumstances, which are usually dictated by reason of space limitation or cost, the marks may be reproduced at a reduced height but must, in the opinion of the accreditation body, be legible with no infilling.

The certification and accreditation mark shall be normally printed in a single colour, which should be the predominant ink colour or, in the case of pre-printed stationery, the predominant colour of the stationery. Embossed, relief or die-stamped versions may be used and they may be reproduced as water marks.

5. Regulatory and Certification Marks

5.1 BABT Approved Mark


Any size of marking is acceptable, as long as it recognizable. In the case of marks under 5mm high, a stylised mark can be used. For a small product, the mark may be printed or embossed as a simple octagon containing the logo without the segment statements appearing.



The colour of the mark should be reflex blue or pan-tone 293, the lighter blue of the ellipse is a 40% tint of the pan-tone 293.

Alternatively for printed material the mark may be in black and white

5.2 BABT Safety Certification Mark




Any size of marking is acceptable, as long as it is recognizable. In the case of marks under 5mm high, a stylised mark can be used. The blue colour of the mark should be reflex blue or pan-tone 2758; with the stars in pantone yellow. Alternatively for printed material the mark may be in black and white

5.3 CE Mark

The requirements and format of the CE mark are detailed in Council Directive 93/68/EEC and in the R&TTE Directive (1999/05/EC). The following extract is derived from these directives.

The CE conformity marking must consist of the initials "CE" taking the following form:



If the CE marking is reduced or enlarged, the proportions given in the graduated drawing must be respected.

The CE marking must have a height of at least 5 mm except where this is not possible on account of the nature of the apparatus.

The CE marking must be affixed to the product or to its data plate. Additionally it must be affixed to the packaging, if any, and to the accompanying documents.

The CE marking must be affixed visibly, legibly and indelibly

Note: The CE Mark may only be used where the equipment meets all applicable directives for the intended use.

Refer to the section defining the particular marks for each directive for any the additional marking requirements.

5.4 Marine Equipment Directive Marking

5.4.1 Marine Equipment Directive Wheelmark


The formal definition and size constraint of the mark are given in MSN 1734 Annex C.

The Wheel mark in respect of the Directive shall be applied only to equipment for which a Declaration of Conformity exists and one of the following have been issued:

- A valid Certificate of Conformity after compliance with the appropriate requirements Module B (Type examination) and Production Quality Assurance (Module D);
- A valid Certificate of Conformity after compliance with the appropriate requirements Module B (Type examination) and Product Quality Assurance (Module E) ;
- a valid Product Verification Certificate following a Module B Certificate (Module F);
- a Valid Unit Verification Certificate (Module G).

Note: The Wheel Mark should not be applied solely as a result of a Module B (Type Examination Certificate).

The Wheel mark shall be followed by number of the Notified Body which has issued the Continuing Compliance Certificate. The TUV SUD BABT notified body number is given in the example below. The characters "yy" shall be replaced by the last 2 digits of the year in which the Wheel mark was affixed to the product.



0168 yy

5.4.2 US Coast Guard Marking for certain marine Products

TUV SUD BABT may issue a US Coast Guard number for certain Navigation products.

This mark may only be used where the Marine Equipment Directive Certificate of Conformity, Module F or Module G Certificate includes the required information.

Where TUV SUD BABT is the only Notified Body involved in the compliance (i.e. Performed Module G, or Module B plus one of Modules D,E, or F) the mark takes the following form:

Required wording	USCG Approval Category	TUV SUD BABT NB identification	TUV SUD BABT Certificate of Compliance number
USCG Approval Number:	164.xxx	/EC0168	/BABT-MEDxxxxxx

For example an AIS system approved using Modules B plus F would have the following marking:

USCG Approval Number: 164.155/EC0168/BABT-MED010001

where MED010001 is the Module F Certificate number.

Where a different Notified Body has performed one of the required modules please refer to TUV SUD BABT for advice.

5.5 FCC Marks

The FCC has no specific mark associated with USA approvals. However there are labelling requirements which differ according to the approvals route and section of 47 CFR applicable to the equipment.

In particular the following rules should be considered:

- For Intentional and Unintentional radiators subject to the Certification approvals route FCC 47 CFR 2.925 and 2.926 ;
- For Intentional and Unintentional radiators subject to the Verification approvals route FCC 47 CFR 2.954;
- For Intentional and Unintentional radiators subject to the Declaration of Conformity approvals route FCC 47 CFR 2.1074;
- For Intentional and Unintentional radiators subject to the FCC 47 CFR Part 15 then FCC 47 CFR 15.19 additionally applies.

5.6 Industry Canada Marks

Industry Canada has no specific mark associated with Canadian approvals. However there are labelling requirements which differ a little according to the Equipment Type. In particular the following rules should be considered:

- RSP-100 Clause 4 which defines the rules for the IC number;
- RSS-GEN Clause 5.2 which defines additional information.

6. Marks associated with the ISO9000 Scheme

Holders of a BABT ISO9000 certificate may use these marks under the following conditions:

6.1 TUV SUD BABT ISO9001 Octagon Mark on its own



This mark (without any accreditation mark) may be used within the constraints of this document and the Certification regulations.

6.2 TUV SUD BABT ISO9001 Octagon Mark with UKAS mark



This mark may be used where the Certificate bears the UKAS logo. The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo. The TUV SUD BABT logo should to be same height as the UKAS Logo

7. Marks associated with the PQC Scheme

Holders of a TUV SUD BABT PQC certificate may use these marks under the following conditions:

7.1 TUV SUD BABT PQC Mark



This mark (without any accreditation mark) may be used within the constraints of this document and the Certification regulations. Note the UKAS Logo may NOT be used with this mark. .

8. Marks associated with the R&TTE

Where TUV SUD BABT is involved as a notified body in establishing compliance with the R&TTE the following marks (as appropriate) shall be applied to products marketed within the EU.

These marks apply equally to products following the Annex IV or Quality Systems following the Annex V route.

8.1 Mark for Telecommunications products and radio products using harmonised frequencies

CE0168

This mark is to be used for telecommunications products and products using harmonised frequencies. The TUV SUD BABT Notified body number “0168” should be the same height as the “CE” mark.

8.2 Mark for Radio products using non-harmonised frequencies

CE0168!

This mark is to be used for “Class 2” radio products using frequency bands which are not harmonised throughout the community. The TUV SUD BABT Notified Body number “0168” and the equipment class identifier should be the same height as the “CE” mark. Details of the equipment class identifier mark can be obtained from Commission Decision 2000/299/EC. This mark should only be used on equipment referred to as “Class 2” equipment in Article 1 of Decision 2000/299/EC.

9. Marks associated with the RED

Where TUV SUD BABT is involved as a notified body in establishing compliance with the RED the following marks (as appropriate) shall be applied to products marketed within the EU.

9.1 Mark for equipment under Annex III(Type Examination)

The “CE” mark as defined earlier should be used for equipment which meets the where compliance is established under Annex III.

The TUV SUD BABT notified body number should not be displayed where TUV SUD BABT acts under Annex III of this directive. However the DoC shall reference TUV SUD BABT as the Notified Body, and Marketing literature may make reference to any statements from TUV SUD BABT .

9.2 Mark for equipment under Annex IV (FQA)

CE0168

This mark is to be used for telecommunications products and products using harmonised frequencies. The TUV SUD BABT Notified body number “0168” should be the same height as the “CE” mark.

10. Marking associated with the Construction Products Regulation

The “CE” mark as defined earlier should be used as a part of the marking for equipment which meets the Construction Products Regulation .

The CE marking symbol shall be supplemented by:

- last two digits of the year in which the marking was first affixed (i.e. Issue Year of the Certificate of Constancy of Performance)
- name or identifying mark and registered address of the manufacturer;
- unique identification code of the product type
- reference number of the Declaration of Performance; and the level of performance declared
- reference to this European Standard (e.g EN 54-18), its date and any amendments;

- f) the TUV SUD BABT Notified Body number “0168”;
- g) intended use as laid down by the technical specification
- h) other information required by the standard or a reference to a document, which shall be uniquely identifiable and available from the manufacturer, containing this information.


Where the product exceeds the minimum performance levels stated in this standard, and where the manufacturer so desires, the CE marking may be accompanied by an indication of the parameter(s)

11. Marks associated with the LVD and EMC Directives

The “CE” mark as defined earlier should be used for equipment which meets the LVD and/or EMC. The TUV SUD BABT notified body number should not be displayed where TUV SUD BABT acts under these directives. However marketing literature may make reference to any statements from TUV SUD BABT.

12. Mark associated with the Measurement Instruments Directive

Where TUV SUD BABT is involved as a Module D or F notified body in establishing compliance with the MID the following mark shall be applied to products marketed within the EU.



The CE mark in respect of the Directive shall be applied only to equipment for which a valid Declaration of Conformity exists. This shall be followed by the Supplementary Meteorology marking including the year of supply to the market in a rectangle followed by of the TUV SUD BABT Notified Body number.. The characters “yy” shall be replaced by the last 2 digits of the year in which the Wheel mark was affixed to the product

13. Marks associated with the Safety Certification Schemes

There are a number of differing marks and combinations of marks available for items covered by TUV SUD BABT Safety certificates.

13.1 Marks available for Entire products and stand-alone power supplies

The following marks may be used :

13.1.1 BABT Approved Mark



13.1.2 BABT Approved Mark with UKAS accreditation mark



This mark may be used where the Certificate bears the UKAS logo. The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo.

Under the Octagon the words “<<Certificate number>>” should be replaced by the TUV SUD BABT Certificate number of the product.

The TUV SUD BABT logo should be same height as the UKAS Logo

13.1.3 TUV SUD BABT Safety Mark

Exceptionally the TUV SUD BABT Safety mark (with or without accreditation marks) may be used on Entire products or Stand-alone. In particular this may aid in consistent marking for stand-alone power supplies which are also available as sub-assemblies.

13.2 Marks available for Sub-assemblies and Components

The following marks may be used :

13.2.1 TUV SUD BABT Safety Certification Mark



TUV SUD BABT Safety Certification Mark with UKAS accreditation mark



This mark may be used where the Certificate bears the UKAS logo. The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo.

The TUV SUD BABT logo should be same height as the UKAS Logo

14. Marks associated with the CNC Scheme

The following marks may be used associated with the CNC scheme

14.1 BABT Approved Mark



Where the production facility is covered by a TUV SUD BABT PQC or a TUV SUD BABT ISO9000 the appropriate segment may be added to this mark. This also applies to the Approved marks with the accreditation marks. Apply to TUV SUD BABT Customer Service for details.

14.2 BABT Approved Mark with UKAS Accreditation Mark



This mark may be used where the Certificate bears the UKAS logo. The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo.


Under the Octagon the words “<<Certificate number>>” should be replaced by the TUV SUD BABT Certificate number of the product. The TUV SUD BABT logo should be same height as the UKAS Logo

15. Japanese Radio Approval Mark

15.1 Overall Mark

Where TUV SUD BABT, as a Japanese Registered Foreign Conformity Assessment Body, grants an approval for specified radio equipment the product must be marked with the appropriate marking. Specified radio equipment certified as complying with the technical regulations by European CABs is required to bear the Mark in accordance with the MPHPT Ordinance No.146, 2001: Ordinance on the Mark, etc. based on the Law for Implementation of the Mutual Recognition between Japan and the European Community and the Republic of Singapore in Relation to Conformity Assessment of Specified Equipment.

The Mark shall be accompanied by the appropriate symbol and the identification code, and take the following form:




There are three parts to this mark:

- Japanese Approval Mark
- Symbol
- Approval identifier

15.2 Approval Mark


The size of the Mark shall be 5 mm or more in diameter. In case of terminal equipment or specified radio equipment having a volume of 100 cc or less, the size shall be 3 mm or more in diameter



5mm or more
(3mm or more in case of equipment having a volume of 100cc or less.)

5mm or more
(3mm or more in case of equipment having a volume of 100cc or less.)

15.3 Symbol

The Symbol  must follow the Approval Mark. This symbol is required for all Specified Radio equipment approvals


15.4 Approval Identifier

This is made up of 3 elements as follows:

- CAB identifier { TUV SUD BABT is 203}
- “_”
- Conformity Assessment number {which is the TUV SUD BABT Certificate number in the format JNyxxx where xxx is the number}


15.5 Additional information and examples.

The Symbol and Approval identifier relate to a particular transmitter
The following is an example of the mark for a single Transmitter




Equipment with a network connection also requires a Terminal equipment approval. This must be obtained from a suitably appointed CAB. **Note: TUV SUD BABT is NOT a CAB under the Telecommunications Law and our CAB number must NOT be used for any Terminal Equipment approval.**

Such equipment must list the symbols and approval identifiers for each approval against a single Approval mark.
The following is an example of the mark for such equipment



Equipment with more than one transmitter will need to list the particular information related to each transmitter against a single Approval Mark.




16. Metering and Billing marks

16.1 Metering and Billing Scheme


The following marks may be used associated with the Metering and Billing scheme

16.1.1 TUV SUD BABT Mark



Where the Company also holds a TUV SUD BABT ISO9000 Certification the appropriate segment may be added to this mark.
Apply to TUV SUD BABT Customer Service for details.

16.1.2 TUV SUD BABT Mark with UKAS Accreditation Mark




This mark may be used where the Certificate bears the UKAS logo. The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo.

Under the Octagon the words “<<Certificate number>>” should be replaced by the TUV SUD BABT Certificate number of the TMBS .

The TUV SUD BABT logo should be same height as the UKAS Logo

16.2 Communication System Attestation



Where the Company also holds a TUV SUD BABT ISO9000 Certification the appropriate segment may be added to this mark. Apply to TUV SUD BABT Customer Service for details.

17. Microgeneration Certification Scheme (MCS) Mark

Holders of TUV SUD BABT MCS Certificates who have signed a licence agreement with MCS may make use of the MCS Mark.

The following combined Mark may be used



Details of the conditions for use and style guide for the MCS portion of the MCS-Brand-Guidelines are found in MCS 005.

Details of the style guide for the TUV SUD BABT portion as provided above.

18. British Retail Consortium (BRC) Scheme Mark

Holders of TUV SUD BABT BRC Certificates may make use of the BRC mark in literature and advertising but are prohibited from using it on products.



For the full details of the marking rules please refer to the BRC GLOBAL STANDARD for CONSUMER PRODUCTS