



Marks Associated with TUV SUD BAPT Certification Schemes

TUV SUD BAPT is a Certification Body of



© TUV SUD BAPT 2018



Contents

1. Introduction3

2. Definitions3

3. Overview of Schemes and Associated Marks.....3

4. Accreditation Marks4

 4.1 General4

 4.2 UKAS4

5. Regulatory and Certification Marks.....6

 5.1 TUV SUD BABT Approved Mark6

 5.2 CE Mark6

6. Mark Associated with the Marine Equipment Directive Scheme.....6

 6.1 Marine Equipment Directive Wheel Mark.....6

 6.2 US Coast Guard Marking for Certain Marine Products.....7

7. Mark Associated with the FCC Scheme7

8. Mark Associated with the ISED Canada Scheme.....8

9. Mark Associated with the PQC Scheme8

 9.1 TUV SUD BABT PQC Mark8

10. Mark Associated with the RED Scheme8

 10.1 Mark for Equipment Under Annex III (Type Examination)8

 10.2 Mark for Equipment Under Annex IV (FQA)8

11. Mark Associated with the EMC Directive Scheme.....8

12. Mark Associated with the Japanese Radio Approval Scheme.....9

 12.1 Overall Mark.....9

 12.2 Approval Mark.....9

 12.3 Symbol.....9

 12.4 Approval Identifier9

 12.5 Additional Information and Examples10

13. Marks Associated with the Metering and Billing Scheme10

 13.1 TUV SUD BABT Mark.....10

 13.2 TUV SUD BABT Mark with UKAS Accreditation Mark.....10

 13.3 Communication System Attestation11

14. Mark Associated with the Microgeneration Certification Scheme.....11



1. Introduction

This document defines the marks associated with various TUV SUD BABT Certification schemes with details of dimensioning and formats.

This document should be read in conjunction with the TUV SUD BABT Testing and Certification Regulations (a copy which can be found [here](#)) which includes the general rules on their use.

While some schemes have specific designs of marks related to the scheme sponsor or purpose in general those schemes where TUV SUD BABT grants a mark then either a TUV SUD Octagon mark is granted or a BABT approved mark.

2. Definitions

Accreditation Mark	Means the appropriate mark of the relevant accreditation body. This must be shown with our accreditation number and complete with the holder’s certificate number
Certification Mark	Means the relevant mark appropriate to the certification scheme issued in accordance with the certification regulations.

3. Overview of Schemes and Associated Marks

The following TUV SUD BABT Certification schemes have the following marks associated:

Scheme	Regulatory Mark	Accreditation Mark	TUV SUD BABT Mark	Comment
PQC	N/a	None	Octagon	Includes CPR and Machinery PQC Certifications
RED Annex III	CE	UKAS Product	N/a	
RED Annex IV	CE	UKAS Product	N/a	
Marine Equipment Directive Module B	No EU mark	None	N/a	Requires a Mod D/F Certificate for marking; Some products may have US Coast Guard number as approval mark
Marine Equipment Directive Module D	Wheel mark	None	N/a	
Marine Equipment Directive Module F	Wheel mark	None	N/a	
Marine Equipment Directive Module G	Wheel mark	None	N/a	
EMC Notified Body	CE	UKAS Product	N/a	
Metering and Billing Approval	none	UKAS Product	Double Octagon	Contact TUV SUD BABT for information
Communications System Attestation	N/a	None	Double Octagon	Contact TUV SUD BABT for information
Japanese Radio Device Approval	Japan Radio mark	UKAS Product	N/a	
US Radio/EMC TCB Certification	FCC id	UKAS Product	N/a	
US Telephony TCB Certification	ACTA number	None	N/a	
US EMC TCF Audit	None	None	N/a	Marking <u>must not</u> look like FCC Id.
MCS Scheme	N/a	UKAS Product	MCS own	

Images of the most common marks may be requested from the TUV SUD BABT web site: <http://www.BABT.com> .
 Note: Copies of these marks are only supplied to Applicants for or Certificate holders of the relevant schemes.

4. Accreditation Marks

4.1 General

TUV SUD BABT obtains accreditation from an appropriate accreditation body for our certification schemes. TUV SUD BABT holds accreditation from UKAS for a number of the schemes. UKAS assess TUV SUD BABT on behalf of the UK government for all the regulatory appointments held by TUV SUD BABT.

Use of any mark associated with TUV SUD BABT Schemes, are subject to the following conditions additional to those specified in the TUV SUD BABT Certification regulations:

1. The holder may only use an accreditation mark subject to their holding a TUV SUD BABT certificate that itself includes such marking to indicate that certification scheme is accredited.
2. Certification or accreditation marks shall not be used in any way that might give the wrong impression about the status of the accredited organization.
3. Holders of certificates issued by TUV SUD BABT may use the appropriate mark, on stationery and publicity material or other items relevant to their certificate. The accreditation mark is only permitted to be used in conjunction with the appropriate TUV SUD BABT mark.
4. The term 'publicity material' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on goods or products, unless the goods or products are certified equipment or have been manufactured under an accredited product conformity scheme. This restriction also applies to primary packaging and promotional products.
5. Holders of accredited certificates may use the appropriate TUV SUD BABT mark without the accreditation mark if they wish.
6. The holder of accredited certified system certificates may use the certification and accreditation marks on stationery, display notices, price lists, trade literature and press advertisements if such use of these marks alone does not imply that product or products have been approved or certified by TUV SUD BABT.
7. The Holder of accredited product certificates may only use the certification and accreditation marks on stationery, display notices, price lists, trade literature and press advertisements if such use of these marks clearly indicates that it applies to the certified equipment.
8. Certification and accreditation marks shall only be used in the form and dimensions as defined in this document.
9. Accreditation marks shall not be displayed on vehicles, except in publicity material containing an accreditation mark as part of a larger advertisement, provided the mark is used in the publicity material in accordance with the conditions in specified in this clause.
10. Accreditation marks shall not be displayed on buildings and flags. Marks may be displayed on internal walls and doors and on exhibition stands.
11. Holders may use a TUV SUD BABT mark associated with a certified system certificate on vehicles, buildings and flags if it is not used in conjunction with the accreditation mark except as permitted in this clause.
12. A holder shall always satisfy TUV SUD BABT that the accreditation and TUV SUD BABT marks have been properly used.
13. On withdrawal or surrender of a certificate or upon the determination against the holder of an appeal regarding such withdrawal, all material upon which the TUV SUD BABT and accreditation marks appears shall either have the marks obliterated or be disposed of to TUV SUD BABT's satisfaction.

4.2 UKAS

TUV SUD BABT has obtained UKAS accreditation for several schemes.

The following rules are extracted from the UKAS document: "Rules for the Use of the UKAS Logo and Symbol" which is obtainable from [UKAS Link Here](#) under Technical Publications.



The marks shall be displayed only in the appropriate form, size and colour detailed in these regulations. When the mark is printed on an unfolded portion of A4 size stationery, it shall be displayed in a size no larger than 30mm high. On larger portions of unfolded stationery, the size may be proportionately increased. Accreditation marks shall normally have a minimum height (excluding the certificate number) of 20mm. Any enlargement or reduction shall retain the same proportions as the masters.

The UKAS Accreditation number for TUV SUD BABT ("0172") shall be printed centrally under the accreditation mark.


The accreditation mark and the certificate number shall be considered as a single entity for purposes of enlargement or reduction. In exceptional circumstances, which are usually dictated due to space limitation or cost, the marks may be reproduced at a reduced height but must, in the opinion of the accreditation body, be legible with no infilling.

The certification and accreditation mark shall be normally printed in a single colour, which should be the predominant ink colour or, in the case of pre-printed stationery, the predominant colour of the stationery. Embossed, relief or die-stamped versions may be used, and they may be reproduced as water marks.

5. Regulatory and Certification Marks

5.1 TUV SUD BABT Approved Mark

Any size of marking is acceptable, if it recognizable. In the case of marks under 5mm high, a stylized mark can be used. For a small product, the mark may be printed or embossed as a simple octagon containing the logo without the segment statements appearing.




The colour of the mark should be reflex blue or pan-tone 293, the lighter blue of the ellipse is a 40% tint of the pan-tone 293.

Alternatively, for printed material the mark may be in black and white.

5.2 CE Mark

The requirements and format of the CE mark are detailed in Council Directive 93/68/EEC and in the RED Directive (2014/53/EU). The following extract is derived from these directives:

The CE conformity marking must consist of the initials “CE” taking the following form:



If the CE marking is reduced or enlarged, the proportions given in the graduated drawing must be respected.

The CE marking must have a height of at least 5 mm except where this is not possible because the nature of the apparatus.

The CE marking must be affixed to the product or to its data plate. Additionally, it must be affixed to the packaging, if any, and to the accompanying documents.

The CE marking must be affixed visibly, legibly and indelibly.

Note: The CE Mark may only be used If the equipment meets all applicable directives for the intended use.

Refer to the section defining the marks for each directive for any the additional marking requirements.

6. Mark Associated with the Marine Equipment Directive Scheme

6.1 Marine Equipment Directive Wheel Mark

The formal definition and size constraint of the mark are given in Council Directive 2014/90/EU Annex I.

The Wheel mark in respect of the Directive shall be applied only to equipment for which a Declaration of Conformity exists and one of the following has been issued:

- A valid certificate of conformity after compliance with the appropriate requirements Module B (type examination certificate) and Production Quality Assurance (Module D);
- A valid certificate of conformity after compliance with the appropriate requirements Module B (type examination certificate) and Product Quality Assurance (Module E);
- A valid product verification certificate following a Module B certificate (Module F);
- A valid unit verification certificate (Module G).

Note: The wheel mark should not be applied solely because of a Module B (type examination certificate).

The Wheel mark shall be followed by number of the Notified Body which has issued the continuing compliance certificate. The TUV SUD BABT notified body number is given in the example below. The characters “yy” shall be replaced by the last 2 digits of the year in which the wheel mark was affixed to the product. (Note: It is also acceptable to use 4 digits for the year)



6.2 US Coast Guard Marking for Certain Marine Products

TUV SUD BABT may issue a US Coast Guard number for certain navigation products.

This mark may only be used if the Marine Equipment Directive Certificate of Conformity, Module F or Module G certificate includes the required information.

If TUV SUD BABT is the only Notified Body involved in the compliance (i.e. performed Module G, or Module B plus one of Modules D, E, or F) the mark takes the following form:

Required wording	USCG Approval Category	TUV SUD BABT NB identification	TUV SUD BABT Certificate of Compliance number
USCG Approval Number:	164.xxx	/EC0168	/BABT-MEDxxxxxx

For example, an AIS system approved using Modules B plus F would have the following marking:

USCG Approval Number: 164.155/EC0168/BABT-MED010001

(MED010001 is the Module F Certificate number)

If a different Notified Body has performed one of the required modules, please refer to TUV SUD BABT for advice.

7. Mark Associated with the FCC Scheme

The FCC has no specific mark associated with USA approvals. However, there are labelling requirements which differ according to the approvals route and section of 47 CFR applicable to the equipment.

The following rules should be considered:

- For Intentional and Unintentional radiators subject to the certification approvals route FCC 47 CFR 2.925 and 2.926;
- For Intentional and Unintentional radiators subject to the verification approvals route FCC 47 CFR 2.954;
- For Intentional and Unintentional radiators subject to the Declaration of Conformity approvals route FCC 47 CFR 2.1074;
- For Intentional and Unintentional radiators subject to the FCC 47 CFR Part 15 then FCC 47 CFR 15.19 additionally applies.

8. Mark Associated with the ISED Canada Scheme

ISED Canada has no specific mark associated with Canadian approvals. However, there are labelling requirements which differ according to the equipment type. The following rules should be considered:

- RSP-100 Clause 4 which defines the rules for the ISED number;
- RSS-GEN Clause 5.2 which defines additional information.

9. Mark Associated with the PQC Scheme

Holders of a TUV SUD BABT PQC certificate may use these marks under the following conditions:

9.1 TUV SUD BABT PQC Mark



This mark (without any accreditation mark) may be used within the constraints of this document and the Certification regulations.

Note the UKAS Logo may NOT be used with this mark.

10. Mark Associated with the RED Scheme

If TUV SUD BABT is involved as a notified body in establishing compliance with the RED, the following marks (as appropriate) shall be applied to products marketed within the EU.

10.1 Mark for Equipment Under Annex III (Type Examination)

The “CE” mark as defined earlier in 5.3 should be used for equipment which meets the criteria where compliance is established under Annex III.

The TUV SUD BABT notified body number should not be displayed If TUV SUD BABT acts under Annex III of this directive. However, the Declaration of Conformity shall reference TUV SUD BABT as the Notified Body, and marketing literature may refer to any statements from TUV SUD BABT.

10.2 Mark for Equipment Under Annex IV (FQA)

CE0168

This mark is to be used for telecommunications products and products using harmonised frequencies. The TUV SUD BABT Notified body number “0168” should be the same height as the “CE” mark.

11. Mark Associated with the EMC Directive Scheme

The “CE” mark as defined earlier in 5.3 should be used for equipment which meets the EMC Directive. The TUV SUD BABT notified body number should not be displayed If TUV SUD BABT acts under this directive. However, marketing literature may refer to any statements from TUV SUD BABT.


12. Mark Associated with the Japanese Radio Approval Scheme

12.1 Overall Mark

If TUV SUD BABT, as a Japanese Registered Foreign Conformity Assessment Body, grants an approval for specified radio equipment the product must be marked with the appropriate marking.

Specified radio equipment certified as complying with the technical regulations by European CABs is required to bear the mark in accordance with the MPHPT Ordinance No.146, 2001: Ordinance on the Mark, etc. based on the Law for Implementation of the Mutual Recognition between Japan and the European Community and the Republic of Singapore in Relation to Conformity Assessment of Specified Equipment.

The Mark shall be accompanied by the appropriate symbol and the identification code, and take the following form:




There are three parts to this mark:


- Japanese Approval Mark
- Symbol
- Approval identifier

12.2 Approval Mark

The size of the Mark shall be 5 mm or more in diameter. In case of terminal equipment or specified radio equipment having a volume of 100 cc or less, the size shall be 3 mm or more in diameter



12.3 Symbol

The Symbol  must follow the Approval Mark. This symbol is required for all Specified Radio equipment approvals.

12.4 Approval Identifier


This is made up of 3 elements as follows:

- CAB identifier (TUV SUD BABT is 203)
- “_”
- Conformity Assessment number {which is the TUV SUD BABT Certificate number in the format JNyyyy where yyyy is the number}




12.5 Additional Information and Examples

The Symbol and Approval identifier relate to a transmitter
 The following is an example of the mark for a single Transmitter




Equipment with a network connection also requires a Terminal equipment approval. This must be obtained from a suitably appointed CAB. **Note: TUV SUD BABT is NOT a CAB under the Telecommunications Law and our CAB number must NOT be used for any Terminal Equipment approval.** Such equipment must list the symbols and approval identifiers for each approval against a single Approval mark.

The following is an example of the mark for such equipment



Equipment with more than one transmitter will need to list the information related to each transmitter against a single Approval Mark.



13. Marks Associated with the Metering and Billing Scheme


13.1 TUV SUD BABT Mark



If the Company also holds a TUV SUD ISO9001 Certification the appropriate segment may be added to this mark.

Apply to TUV SUD BABT Customer Service for details.

13.2 TUV SUD BABT Mark with UKAS Accreditation Mark




This mark may be used If the Certificate bears the UKAS logo.

The TUV SUD BABT UKAS Certification Body accreditation number “172” must be displayed under the UKAS logo and be proportionate in size with the lettering on the logo.

Under the Octagon the words “<<Certificate number>>” should be replaced by the TUV SUD BABT certificate number of the TMBS.



13.3 Communication System Attestation




If the Company also holds a TUV SUD ISO9001 Certification the appropriate segment may be added to this mark.

Apply to TUV SUD BABT Customer Service for details.

14. Mark Associated with the Microgeneration Certification Scheme

Holders of TUV SUD BABT Microgeneration Certification Scheme (MCS) certificates who have signed a licence agreement with MCS may make use of the MCS mark.

The following combined mark may be used



Details of the conditions for use and style guide for the MCS portion of the MCS-Brand-Guidelines are found in [this link](#).

Details of the style guide for the TUV SUD BABT portion as provided above.